Neuroscience Letters, 168 (1994) 257–260
Elsevier Ireland Ltd.

AUTHOR INDEX

Aizenman, E., Jensen, F.E., Gallop, P.M., Rosenberg, P.A. and Tang, L.-H., Further evidence that pyrroloquinoline quinone interacts with the *N*-methyl-D-aspartate receptor redox site in rat cortical neurons in vitro, 189
Akiguchi, I., see Oka, N., 61
Alger, B.E., Sim, J.A. and Brown, D.A., Single-channel activity correlated with medium-duration, Ca-dependent K current in cultured rat hippocampal neurones, 23
Alm, P., see Östholm, T., 233
Amenta, F., see Vega, J.A., 19
Appelgren, H., see Lannfelt, L., 254
Arai, R., Karasawa, N., Deura, S., Kobayashi, K., Nagatsu, T. and Nagatsu, I., Protein products of the bacterial reporter gene are found within axon terminals in the brain of transgenic mice, 76
Averill, S., see Costa, J.J.L., 167
Axelman, K., see Lannfelt, L., 254

Bahjaoui-Bouhaddi, M., Fellmann, D. and Bugnon, C., Induction of Fos-immunoreactivity in prolactin-like containing neurons of the rat lateral hypothalamus after insulin treatment, 11
Baker, H., see Calingasan, N.Y., 209
Baranowski, A.P., Priestley, J.V. and McMahon, S.B., 197
Barden, S.D., see Medina, J.I., 106
Beelen, R.H.J., see Krist, L.F.G., 143
Beesley, P.W., see Chapman, A.P., 238
Benedetti, F. and Ferro, I., Implantation of artificial whiskers on the ears of newborn mice induces visual re-mapping in the superior colliculus, 45
Benzi, G., see Curti, D., 213
Berger, P., Farrel, K., Sharp, F. and Skolnick, P., Drugs acting at the strychnine-insensitive glycine receptor do not induce HSP-70 protein in the cingulate cortex, 147
Besson, M., Faïta, F. and Requin, J., Brain waves associated with musical incongruities differ for musicians and non-musicians, 101
Bhutwala, T., see Hess, D.C., 201
Bogdanovic, N., see Lannfelt, L., 254
Bondy, S.C. and Naderi, S., The formation of reactive oxygen species in a fraction of rat brain by metabolism of nitric oxide, 34
Brion, J.-P., see Klosen, P., 175
Brown, D.A., see Alger, B.E., 23
Bufler, J., Pichlmeier, R., Schneck, H.J., Hussman, H. and Franke, C., Block of nicotinic acetylcholine-activated channels of cultured mouse myotubes by isoflurane, 135
Bugnon, C., see Bahjaoui-Bouhaddi, M., 11
Buguet, A., see Montmayeur, A., 172
Butt, A.M. and Jennings, J., Response of astrocytes to γ-aminobutyric acid in the neonatal rat optic nerve, 53

Calingasan, N.Y., Baker, H., Sheu, K.-F.R. and Gibson, G.E., Selective enrichment of cholinergic neurons with the α-ketoglutarate dehydrogenase complex in rat brain, 209
Cavallotti, C., see Vega, J.A., 19
Chapman, A.P., Smith, S.J., Rider, C.C. and Beesley, P.W., Multiple ubiquitin conjugates are present in rat brain synaptic membranes and postsynaptic densities, 238
Chen, D.-T., see Katsura, M., 1
Cherington, V., see Tischler, A.S., 181
Costa, J.J.L., Averill, S., Saavedra, J.P. and Priestley, J.V., Serotonin innervation of enkephalin containing neurones in the rat spinal trigeminal nucleus, 167
Cuesta, M.A., see Krist, L.F.G., 143
Curti, D., Izzo, E. and Benzi, G., Alteration of pallidal cholinergic activity in MPTP-treated monkeys: effect of dihydro-α-ergocryptine (DEK), 213

Daikoku, S., see Takeda, M., 57
Davies, M.S., see Medina, J.I., 106
de Fiebre, C.M., see Hunter, B.E., 130
Deirmengiant, C., see Maslanski, J.A., 225
Del Valle, M.E., Vazquez, E., Represa, J., Malinovsky, L. and Vega, J.A., Immunohistochemical localization of calcium-binding proteins in the human cutaneous sensory corpuscles, 247
Deller, T., Leranth, C. and Frotscher, M., Reciprocal connections of lateral septal neurons and neurons in the lateral hypothalamus in the rat: a combined phaseolus vulgaris-leucoagglutinin and Fluoro-Gold immunocytochemical study, 119
Desmedt, J.E., see Tomberg, C., 123
Desmedt, J.E. and Tomberg, C., Transient phase-locking of 40 Hz electrical oscillations in prefrontal and parietal human cortex reflects the process of conscious somatic perception, 126
Deura, S., see Arai, R., 76
Dray, A., see Urban, L., 185

Ebine, Y., Fujiwara, N. and Shimoji, K., Mild acidosis inhibits the rise in intracellular Ca^{2+} concentration in response to oxygen-glucose deprivation in rat hippocampal slices, 155
Edbladh, M., Tonge, D., Golding, J., Ekström, P.A.R. and Edström, A., Early regeneration in vitro of adult mouse sciatic axons is dependent on local protein synthesis but may not involve neurotrophins, 37
Edström, A., see Edbladh, M., 37
Eestermans, I.L., see Krist, L.F.G., 143
Ekström, P., see Östholm, T., 233
Ekström, P.A.R., see Edbladh, M., 37
Endo, K., see Mochizuki, H., 251

Faïta, F., see Besson, M., 101
Farrel, K., see Berger, P., 147
Fellmann, D., see Bahjaoui-Bouhaddi, M., 11
Ferro, I., see Benedetti, F., 45
Fitzgibbons, J.C., see Gidday, J.M., 221
Franke, C., see Bufler, J., 135
Frotscher, M., see Deller, T., 119
Fujiwara, N., see Ebine, Y., 155

Gallop, P.M., see Aizenman, E., 189
Gennarelli, T.A., see Smith, D.H., 151
Gibson, G.E., see Calingasan, N.Y., 209
Gidday, J.M., Fitzgibbons, J.C., Shah, A.R. and Park, T.S., Neuroprotection from ischemic brain injury by hypoxic preconditioning in the neonatal rat, 221
Glowinski, J., see Vezina, P., 111
Golding, J., see Edbladh, M., 37
Gonzalez, M.P., see Parramón, M., 243
Grandes, P., see Ortega, F., 41

Halliwell, J.V., see Medina, J.I., 106
Hamada, T., see Shibata, S., 159
Hansson, G., see Lannfelt, L., 254
Hardy, J., see Lannfelt, L., 254
Hattori, N., see Mochizuki, H., 251
Heinrichs, S.C., see Menzaghi, F., 139
Hershkowitz, N., see Katchman, A.N., 217
Hervé, D., see Vezina, P., 111
Hess, D.C., Bhutwala, T., Sheppard, J.C., Zhao, W. and Smith, J., ICAM-1 expression on human brain microvascular endothelial cells, 201
Holmqvist, B.I., see Östholm, T., 233
Honma, K., see Kato, M., 205
Hosoi, Y., see Maekawa, K., 97
Hunter, B.E., de Fiebre, C.M., Papke, R.L., Kem, W.R. and Meyer, E.M., A novel nicotinic agonist facilitates induction of long-term potentiation in the rat hippocampus, 130
Hussman, H., see Bufler, J., 135
Hyson, R.L., see Zirpel, L., 163

Ikeda, M., Matsui, K., Ishihara, Y., Morita, I., Murota, S.-i., Yuasa, T. and Miyatake, T., Cerebellar nitric oxide synthase, cGMP and motor function in two lines of cerebellar mutant mice, Staggerer and Wriggle Mouse Sagami, 65
Imai, H., see Mochizuki, H., 251
Ishihara, Y., see Ikeda, M., 65
Izzo, E., see Curti, D., 213

Jennings, J., see Butt, A.M., 53
Jensen, F.E., see Aizenman, E., 189
Joggerst, B., see Strauss, S., 193

Karasawa, N., see Arai, R., 76
Katao, Y., see Maekawa, K., 97
Katchman, A.N. and Hershkowitz, N., Arachidonic acid participates in the anoxia-induced increase in mEPSC frequency in CA1 neurons of the rat hippocampus, 217
Kato, M., Honma, K., Shigemitsu, T. and Shiga, Y., Horizontal or vertical 50-Hz, 1-μT magnetic fields have no effect on pineal gland or plasma melatonin concentration of albino rats, 205
Katsura, M., Ohkuma, S., Chen, D.-T., Tsujimura, A. and Kuriyama, K., Nicotine increases diazepam binding inhibitor (DBI) mRNA in primary cultured neurons, 1
Katunuma, N., see Takeda, M., 57
Kawasaki, T., see Oka, N., 61
Kawashima, S., see Yokota, M., 69
Kem, W.R., see Hunter, B.E., 130
Kido, H., see Takeda, M., 57
Kimura, J., see Oka, N., 61
Kitera, K., see Muneoka, K., 89
Klosen, P., Octave, J.-N., Brion, J.-P. and van den Bosch de Aguilar, P., Heparin treatment increases 9-kb MAP2 mRNA levels in neuronal cell cultures, 175
Kobayashi, K., see Arai, R., 76
Koda, H., see Mizumura, K., 93
Koob, G.F., see Menzaghi, F., 139
Krist, L.F.G., Eestermans, I.L., Steinbusch, H.W.M., Cuesta, M.A., Meyer, S. and Beelen, R.H.J., An ultrastructural study of dopamine-immunoreactive nerve fibres in milky spots of the human greater omentum, 143
Kumazawa, T., see Mizumura, K., 93
Kuriyama, K., see Katsura, M., 1

Lannfelt, L., Bogdanovic, N., Appelgren, H., Axelman, K., Lilius, L., Hansson, G., Schenk, D., Hardy, J. and Winblad, B., Amyloid precursor protein mutation causes Alzheimer's disease in a Swedish family, 254
Lanthorn, T.H., see Stittsworth, Jr., J.D., 8
Lasoń, W., see Przewłocka, B., 81
Leranth, C., see Deller, T., 119
Leranth, C., see Miehe, U., 115
Li, Z.K., see Morgan, I.G., 5
Lilius, L., see Lannfelt, L., 254
Lowenstein, D.H., see Smith, D.H., 151

Machelska, H., see Przewłocka, B., 81
Maekawa, K., Minami, M., Yabuuchi, K., Toya, T., Katao, Y., Hosoi, Y., Onogi, T. and Satoh, M., In situ hybridization study of μ- and κ-opioid receptor mRNAs in the rat spinal cord and dorsal root ganglia, 97
Malinovsky, L., see Del Valle, M.E., 247
Mancini, M., see Vega, J.A., 19
Maslanski, J.A., Powelt, R., Deirmengiant, C. and Patelt, J., Assessment of the muscarinic receptor subtypes involved in pilocarpine-induced seizures in mice, 225
Matsui, K., see Ikeda, M., 65
McIntosh, T.K., see Smith, D.H., 151
McMahon, S.B., see Baranowski, A.P., 197
Medina, J.I., Barden, S.D., Davies, M.S., Newell, B.A.T., Shaw, S.A., Willis, M. and Halliwell, J.V., Barium ions fail to support neurotransmission at a central synapse, 106
Menzaghi, F., Heinrichs, S.C., Merlo-Pich, E., Tilders, F.J.H. and Koob, G.F., Involvement of hypothalamic corticotropin-releasing factor neurons in behavioral responses to novelty in rats, 139
Merlo-Pich, E., see Menzaghi, F., 139
Meyer, E.M., see Hunter, B.E., 130
Meyer, S., see Krist, L.F.G., 143
Miehe, U., Leranth, C., Ohm, T.G. and Nitsch, R., Long-lasting transneuronal dendritic changes of GABAergic neurons in the monkey dentate gyrus following entorhinal cortex lesion, 115
Miethke, P., see Morgan, I.G., 5
Mikuni, M., see Muneoka, K., 89
Minagawa, M., see Mizumura, K., 93
Minami, M., see Maekawa, K., 97
Miyaji, K., see Yokota, M., 69
Miyatake, T., see Ikeda, M., 65
Mizumura, K., Minagawa, M., Koda, H. and Kumazawa, T., Histamine-induced sensitization of the heat response of canine visceral polymodal receptors, 93
Mizuno, Y., see Mochizuki, H., 251
Mochizuki, H., Imai, H., Endo, K., Yokomizo, K., Murata, Y., Hattori, N. and Mizuno, Y., Iron accumulation in the substantia nigra of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP)-induced hemiparkinsonian monkeys, 251
Montmayeur, A. and Buguet, A., Time-related changes in the sleep–wake cycle of rats infected with *Trypanosoma brucei brucei*, 172
Morgan, I.G., Miethke, P. and Li, Z.K., Is nitric oxide a transmitter of the centrifugal projection to the avian retina?, 5
Morita, I., see Ikeda, M., 65
Muneoka, K., Mikuni, M., Ogawa, T., Kitera, K. and Takahashi, K., Periodic maternal deprivation-induced potentiation of the negative feedback sensitivity to glucocorticoids to inhibit stress-induced adrenocortical response persists throughout the animal's life-span, 89
Murata, Y., see Mochizuki, H., 251

Murota, S.-i., see Ikeda, M., 65

Naderi, S., see Bondy, S.C., 34
Naeem, S., see Urban, L., 185
Nagao, M., see Oka, N., 61
Nagatsu, I., see Arai, R., 76
Nakagawa, H., see Tamaru, T., 229
Nakajima, Y., see Takahashi, Y., 85
Nathanson, N.M., see Zirpel, L., 163
Newell, B.A.T., see Medina, J.I., 106
Nishio, T., see Oka, N., 61
Nitsch, R., see Miehe, U., 115

Octave, J.-N., see Klosen, P., 175
Ogawa, S., Saito, H., Saeki, S. and Suzuki, H., Reflex sympathetic activities during inhalation of anaesthetics in cats: nitrous oxide, 16
Ogawa, T., see Muneoka, K., 89
Ohkuma, S., see Katsura, M., 1
Ohm, T.G., see Miehe, U., 115
Oka, M., see Takeda, M., 57
Oka, N., Nishio, T., Akiguchi, I., Nagao, M., Kawasaki, T. and Kimura, J., Microtubules stability in human peripheral nerves, 61
Okada, M., see Tamaru, T., 229
Onogi, T., see Maekawa, K., 97
Ortega, F., Pomposo, I., Streit, P. and Grandes, P., Homocysteate-like immunoreactivity in multiform glioblastoma of human brain, 41
Oset-Gasque, M.J., see Parramón, M., 243
Östholm, T., Holmqvist, B.I., Alm, P. and Ekström, P., Nitric oxide synthase in the CNS of the atlantic salmon, 233
Otten, U., see Strauss, S., 193

Papke, R.L., see Hunter, B.E., 130
Park, T.S., see Gidday, J.M., 221
Parramón, M., Oset-Gasque, M.J., Gonzalez, M.P. and Stephenson, F.A., Identification of $GABA_A$ receptor subunits expressed in bovine adrenal medulla, 243
Patel, I.A., see Urban, L., 185
Patelt, J., see Maslanski, J.A., 225
Pichlmeier, R., see Bufler, J., 135
Plüss, K., see Strauss, S., 193
Pomposo, I., see Ortega, F., 41
Powelt, R., see Maslanski, J.A., 225
Priestley, J.V., see Costa, J.J.L., 167
Priestley, J.V., see Baranowski, A.P., 197
Przewłocka, B., Lasoń, W., Machelska, H. and Przewłocki, R., The effects of cocaine-induced seizures on the proenkephalin mRNA level in the mouse hippocampus: a possible involvement of the nitric oxide pathway, 81
Przewłocki, R., see Przewłocka, B., 81

Represa, J., see Del Valle, M.E., 247
Requin, J., see Besson, M., 101
Rider, C.C., see Chapman, A.P., 238
Riseberg, J.C., see Tischler, A.S., 181
Rosenberg, P.A., see Aizenman, E., 189
Rubel, E.W., see Zirpel, L., 163

Saavedra, J.P., see Costa, J.J.L., 167
Saeki, S., see Ogawa, S., 16
Saido, T.C., see Yokota, M., 69
Saito, H., see Ogawa, S., 16
Sakai, K., see Takeda, M., 57
Sakamoto, T., see Takahashi, Y., 85
Satoh, M., see Maekawa, K., 97
Scharfman, H.E., Paradoxical enhancement by bicuculline of dentate granule cell IPSPs evoked by fimbria stimulation in rat hippocampal slices, 29
Schenk, D., see Lannfelt, L., 254
Schneck, H.J., see Bufler, J., 135
Schneider, T., Thalau, H.-P. and Semm, P., Effects of light or different earth-strength magnetic fields on the nocturnal melatonin concentration in a migratory bird, 73
Semm, P., see Schneider, T., 73
Shah, A.R., see Gidday, J.M., 221
Sharp, F., see Berger, P., 147
Shaw, S.A., see Medina, J.I., 106
Sheppard, J.C., see Hess, D.C., 201
Sheu, K.-F.R., see Calingasan, N.Y., 209
Shibata, S., Watanabe, A., Hamada, T. and Watanabe, S., Protein-synthesis inhibitor blocks (R,S)-α-amino-3-hydroxy-5-methyl-isoxazole-4-propionic acid (AMPA)- or substance P-induced phase shift of the circadian rhythm of neuronal activity in the rat suprachiasmatic nucleus in vitro, 159
Shiga, Y., see Kato, M., 205
Shigemitsu, T., see Kato, M., 205
Shimoji, K., see Ebine, Y., 155
Sim, J.A., see Alger, B.E., 23
Skolnick, P., see Berger, P., 147
Smith, D.H., Lowenstein, D.H., Gennarelli, T.A. and McIntosh, T.K., Persistent memory dysfunction is associated with bilateral hippocampal damage following experimental brain injury, 151
Smith, J., see Hess, D.C., 201
Smith, S.J., see Chapman, A.P., 238
Song, X.-J. and Zhao, Z.-Q., Interaction between substance P and excitatory amino acid receptors in modulation of nociceptive responses of cat spinal dorsal horn neurons, 49
Steinbusch, H.W.M., see Krist, L.F.G., 143
Stephenson, F.A., see Parramón, M., 243
Stittsworth, Jr., J.D. and Lanthorn, T.H., Resistance to epileptic, but not anoxic, depolarization in the gerbil hippocampal slice preparation, 8
Strauss, S., Otten, U., Joggerst, B., Plüss, K. and Volk, B., Increased levels of nerve growth factor (NGF) protein and mRNA and reactive gliosis following kainic acid injection into the rat striatum, 193
Streit, P., see Ortega, F., 41
Suzuki, H., see Ogawa, S., 16
Suzuki, K., see Yokota, M., 69

Takahashi, K., see Muneoka, K., 89
Takahashi, Y., Nakajima, Y. and Sakamoto, T., 85
Takeda, M., Tanaka, S., Kido, H., Daikoku, S., Oka, M., Sakai, K. and Katunuma, N., Chromaffin cells express Alzheimer amyloid precursor protein in the same manner as brain cells, 57
Tamaru, T., Okada, M. and Nakagawa, H., Differential expression of D type cyclins during neuronal maturation, 229
Tanaka, S., see Takeda, M., 57
Tang, L.-H., see Aizenman, E., 189
Tani, E., see Yokota, M., 69
Tassin, J.P., see Vezina, P., 111
Thalau, H.-P., see Schneider, T., 73
Tilders, F.J.H., see Menzaghi, F., 139
Tischler, A.S., Riseberg, J.C. and Cherington, V., Multiple mitogenic signalling pathways in chromaffin cells: a model for cell cycle regulation in the nervous system, 181

Tomberg, C., see Desmedt, J.E., 126
Tomberg, C. and Desmedt, J.E., A method for identifying short-latency human cognitive potentials in single trials by scalp mapping, 123
Tonge, D., see Edbladh, M., 37
Toya, T., see Maekawa, K., 97
Tsujimura, A., see Katsura, M., 1

Urban, L., Naeem, S., Patel, I.A. and Dray, A., Tachykinin induced regulation of excitatory amino acid responses in the rat spinal cord in vitro, 185

van den Bosch de Aguilar, P., see Klosen, P., 175
Vazquez, E., see Del Valle, M.E., 247
Vega, J.A., see Del Valle, M.E., 247
Vega, J.A., Cavallotti, C., Mancini, M. and Amenta, F., Age-dependent changes in gp75^{LNGFR} (low-affinity nerve growth factor receptor) immunoreactivity in the rat cerebellar cortex, 19
Vezina, P., Hervé, D., Glowinski, J. and Tassin, J.P., Injections of 6-hydroxydopamine into the ventral tegmental area destroy mesolimbic dopamine neurons but spare the locomotor activating effects of nicotine in the rat, 111
Volk, B., see Strauss, S., 193

Watanabe, A., see Shibata, S., 159
Willis, M., see Medina, J.I., 106
Winblad, B., see Lannfelt, L., 254

Yabuuchi, K., see Maekawa, K., 97
Yokomizo, K., see Mochizuki, H., 251
Yokota, M., Saido, T.C., Miyaji, K., Tani, E., Kawashima, S. and Suzuki, K., Stimulation of protein-tyrosine phosphorylation in gerbil hippocampus after global forebrain ischemia, 69
Yuasa, T., see Ikeda, M., 65

Zhao, W., see Hess, D.C., 201
Zhao, Z.-Q., see Song, X.-J., 49
Zirpel, L., Nathanson, N.M., Rubel, E.W. and Hyson, R.L., Glutamate-stimulated phosphatidylinositol metabolism in the avian cochlear nucleus, 163

ANNOUNCEMENT

The Second Congress of Tropical Neurology, *Environmental Factors in Tropical Neurology*, will be held in Limoges, France, from 21 to 23 September 1994.

For further information: Institut d'Epidémiologie et de Neurologie Tropicale
Faculté de Médecine
2 rue de Docteur Marcland
87 025 Limoges Cédex
France
Tel: (33) 55-43 58 20
Fax: (33) 55-43 58 01